



INDUSTRIAL SUPPLIES CENTER LLC

www.isc-depot.com



Head Office:

PO Box 39, PC: 101
M.C.C.
Muscat, Sultanate of Oman

Tel : +968 24460320
Fax: +968 24460291
Email: sales@isc-depot.com

Mabella Branch:

Way No: 7715
Mabella, Sanaiya
Muscat, Sultanate of Oman

Tel : +968 24467233
Fax: +968 24460291
Email: sales@isc-depot.com

Barka Branch:

Near Barka Sanaiya R/A
Shop No. 4, 5, 6
Muscat, Sultanate of Oman

Tel : +968 26883098
Fax: +968 24460291
Email: retail.barka@isc-depot.com



INDUSTRIAL SUPPLIES CENTER LLC

Quality, Service & Commitment

Construction Equipment



www.isc-depot.com

CONSTRUCTION EQUIPMENT		MODEL	DOUBLE DRUM VIBRATION ROLLER
		RZ750D	VIBRATING ROLLER (With Ride) Travel Speed :0-7km/h Dimension (L*W*H) :1737x825x1906mm Weight :1000kg Vibratory Frequency :65Hz Centrifugal Force :20KN Vibratory wheel width :750mm Engine :Kipor Diesel186FE
CONSTRUCTION EQUIPMENT		MODEL	CONCRETE SAW
		Q-450	Weight :140KG Cutting Depth :130mm Blade Diameter :450mm Running Speed :3200RPM Engine :Honda GX390 13HP
CONSTRUCTION EQUIPMENT		MODEL	DOUBLE DRUM VIBRATION ROLLER
		RL-800DZ	Vibratory Frequency :3600(t/m) Centrifugal Force :24KN Water Tank :35L Vibratory Wheel Width :65(cm) Weight :850KG Engine :Kipor Diesel186FE
CONSTRUCTION EQUIPMENT		MODEL	CONCRETE SAW
		Q-500	Weight :150KG Cutting Depth :130mm Blade Diameter :500mm Running Speed :3200RPM Engine :GX390 Honda
CONSTRUCTION EQUIPMENT		MODEL	DOUBLE DRUM VIBRATION ROLLER
		RL-450	VIBRATING ROLLER (Trench Roller) Vibratory Frequency :3600(t/m) Centrifugal Force :20KN Water Tank :30L Vibratory Wheel Width :45(cm) Weight :580KG Engine :Kipor 178FE 7HP Air Cool, Diesel
CONSTRUCTION EQUIPMENT		MODEL	CONCRETE MIXER
		CM350	Weight:348KG Drum:350L Drum Thickness:3mm Drum Speed:100RPM
CONSTRUCTION EQUIPMENT		MODEL	DOUBLE DRUM VIBRATION ROLLER
		RL-500D	Vibratory Frequency :3600(t/m) Centrifugal Force :15KN Water Tank :32L Vibratory Wheel Width :60(cm) Weight :640KG Engine :Kipor 178FE 7HP Air Cool Diesel
CONSTRUCTION EQUIPMENT		MODEL	REBAR CUTTER
		GQ50	Motor:380V 50HZ 4KW Max Cutting :6-40mm Weight:485kg

CONSTRUCTION EQUIPMENT

	MODEL	POWER TROWEL
	BPM-120	Working Diameter :1200(MM) Running Speed :60140(RPM) Blade Number :4(PCS) Dimensions :128*128*81(CM) Weight :110KGS Engine :Honda GX270 9HP

	MODEL	POWER TROWEL
	BPM-120 LIFAN	Working Diameter :1200(MM) Running Speed :60140(RPM) Blade Number :4(PCS) Dimensions :128*128*81(CM) Weight :110KGS Engine :LIFAN 9HP

	MODEL	CONCRETE SAW
	Q-350	Weight :90KG Cutting Depth :80mm Blade Diameter :350mm Running Speed :3200RPM Engine :Honda GX270

	MODEL	CONCRETE SAW
	Q-400	Weight :120KG Cutting Depth :80mm Blade Diameter :400mm Running Speed :3200RPM Engine :Honda GX270

CONSTRUCTION EQUIPMENT

	MODEL	DOUBLE DRUM VIBRATION ROLLER
	RL-600D	Vibratory Frequency :3600(t/m) Centrifugal Force :20KN Water Tank :35L Vibratory Wheel Width :65(cm) Weight :680KG Engine :Kipor 186FE 10HP Air Cool Diesel

	MODEL	DOUBLE DRUM VIBRATION ROLLER
	RL-700D	Vibratory Frequency :3600(t/m) Centrifugal Force :24KN Water Tank :35L Vibratory Wheel Width :65(cm) Weight :740KG

	MODEL	DOUBLE DRUM VIBRATION ROLLER
	RL-600DH	Vibratory Frequency :3600(t/m) Centrifugal Force :20KN Water Tank :70L Vibratory Wheel Width :65(cm) Weight :680KG Engine :Kipor 186FE 10HP Air Cool engine

	MODEL	SINGLE DRUM VIBRATION ROLLER
	RL-600B	Vibratory Frequency :70 Centrifugal Force :15KN Vibratory Wheel Width :48(cm) Weight :300KG Engine :Honda GX160 5.5HP

CONSTRUCTION EQUIPMENT		
	MODEL	SINGLE DRUM VIBRATION ROLLER
	RL800	Vibratory Frequency:70 Centrifugal Force:20KN Vibratory Wheel Width:48(cm) Weight:390KG Engine: Honda GX270

	MODEL	PLATE COMPACTOR
	VB-N60	Compacting Depth :20(CM) Travelling Speed :25(M/MIN) Frequency :5000(Times/Min) Centrifugal Force :10.5KN Plate Size :43*35(cm) Weight :70(KG) Engine :Honda GX160 5.5HP

	MODEL	PLATE COMPACTOR
	VB-120	Compacting Depth:30(CM) Travelling Speed:30(M/MIN) Vibratory Frequency:5000(Times/Min) Centrifugal Force:20KN Plate Size:52*42(cm) ,57*44cm Weight:73KG,90KG Engine: Honda GX160 5.5HP

	MODEL	PLATE COMPACTOR
	C-90M	Compacting Depth:30(CM) Travelling Speed:25(M/MIN) Vibratory Frequency:5000(Times/Min) Centrifugal Force:15KN Plate Size:64*54(cm) Weight:105(KG)

CONSTRUCTION EQUIPMENT		
	MODEL	PLATE COMPACTOR
	C-120W	Compacting Depth:20(CM) Travelling Speed:25(M/MIN) Vibratory Frequency:5000(Times/Min) Centrifugal Force:15KN Plate Size:51*50m) Weight:85(KG) Engine: Honda GX160 5.5HP

	MODEL	PLATE COMPACTOR
	RC-330	Compacting Depth:30(CM) Travelling Speed:30(M/MIN) Frequency:5000(Times/Min) Centrifugal Force:20KN Plate Size:88*68(cm) Weight:270KG)

	MODEL	POWER TROWEL
	BPM-80	Working Diameter:780(MM) Running Speed:60 -140(RPM) Blade Number:4(PCS) Dimensions:90*90*75(CM) Weight:70KGS Engine: Honda GX160

	MODEL	POWER TROWEL
	BPM-100	Working Diameter :960(MM) Running Speed :60140(RPM) Blade Number :4(PCS) Dimensions :105*105*81(CM) Weight :90KGS Engine :Honda GX160